



Declaration of compliance

No: 1606 Dated «05» January 2025

The following products comply with the requirements of Regulation (EC) No 1935/2004 on materials and articles intended to come into contact with food.

EN IEC 63000:2018, EN 62321-1:2013

Manufacturer name: LLC "REZATTO"
Address: Ukraine, 61124, Kharkiv region, Kharkiv city, st. Kashtanova, 10, EDRPOU 45074271,
Product: Cutting boards Rezatto
Type/Model: The model range is shown in Annex A
Authorized representative: CONTRACT No. R01-2023 od 01/05/2023, Package: box (5-layer brown corrugated cardboard), pelle, Seller: Limited Liability Company "REZATTO" (LLC "REZATTO"), Buyer: LLC "REZATTO"
Brand/Trade marks REZATTO

The identity and address of the business operator issuing the declaration of compliance:

- Limited Liability Company "Rezatto" Lizuma street 1 k-12, Riga, LV-1006, Latvia

The identity and address of the business operator which manufactures or imports the plastic materials or articles or products from intermediate stages of their manufacturing or the substances intended for the manufacturing of those materials and articles:

- Limited Liability Company "Rezatto" Lizuma street 1 k-12, Riga, LV-1006, Latvia

The identity of the materials, the articles, products from intermediate stages of manufacture or the substances intended for the manufacturing of those materials and articles:

- The product is manufactured from artificial acrylic stone produced by the South Korean company LION CHEMTECH Co., Ltd.. in accordance with the approved sample. The material has an Environmental Product Declaration (EPD) with registration number 4788478473.101.1, confirming its safety and compliance with environmental regulations.

A set consists of a slab whose dimensions are shown in Annex A. The sets have the following names, which correspond to the colour of the artificial stone and have their own article number (Annex A).

The products consist of acrylic resins based on methyl methacrylate and polymethyl methacrylate, aluminum hydroxide, plus natural mineral additives.

DOES NOT contain - polyamide and melamine.

TriStone™ is an acrylic solid surface. It is composed primarily of an inert material held together with an acrylic binder. Various pigments are included, along with catalysts and processing materials. Ingredients are shown in Table 4.

Material	Mass [%]	Mass [kg]
Alumina Trihydrate (ATH)	63.70	38
Methyl Methacrylate (MMA)	27.81	17
Poly Methyl Methacrylate (PMMA)	7.19	4
Other Ingredients	1.30	0.8

Confirmation that the plastic materials or articles, products from intermediate stages of manufacture or the substances meet relevant requirements laid down in this Regulation and Regulation (EC) No 1935/2004, The material is regularly tested for compliance with REACH (EC Regulation No. 1907/2006) and does not contain substances from the list of substances of very high concern (SVHC) in concentrations greater than 0.1% by weight.

- Regulation (EC) 1935/2004 of the European Parliament and of the Council of 27 October 2004 on materials and articles intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC.
- Commission Regulation (EC) No. 2023/2006 of 22 December 2006 on good manufacturing practice for materials and articles intended to come into contact with food.
- Commission Regulation (EU) No. 1282/2011 of 28 November 2011 amending and correcting Regulation (EU) No. 10/2011 on plastic materials and articles intended to come into contact

with food.

- Commission Regulation (EU) No 10/2011 of 14 January 2011 on plastic materials and articles intended to come into contact with food.
- Commission Regulation (EU) 2017/752 of 28 April 2017 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food
- Commission Regulation (EU) No 1183/2012 of 30/11/2012 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food.
- Commission Regulation (EU) No 174/2015 of 05/02/2015 amending and adjusting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food.
- Commission Regulation (EU) No 1416/2016 of 24/08/2016 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food.
- Act of 25 August 2006 on food and nutrition safety (Journal of Laws No. 136, item 914) consolidated text.
- Act of 13 June 2013 on packaging and packaging waste (Journal of Laws No. 63, item 638).
- Council of Europe Resolution AP 89 (1) on the use of colouring agents in food contact plastics - coloured products only.

Commission Regulation (EU) No. 174/2015 of 05/02/2015 amending and correcting Regulation (EU) No. 10/2011 on plastic materials and articles intended to come into contact with food.

The statement is based on a one-time evaluation of one sample of each type of the above products. The statement is based on the design and components of the product we place on the market, as well as on an assessment of the risks associated with its possible use.

The manufacturer guarantees that all serially manufactured products comply with the product sample specified in the test declaration. The technical file is at the disposal of the authorized representative.

Responsibility for product safety and compliance with the requirements of Regulation (EC) No. 1935/2004 on materials and articles intended to come into contact with food is borne solely by the manufacturer. Adequate information relative to the substances used or products of degradation thereof for which restrictions and/or specifications are set out in Annexes I and II to this Regulation to allow the downstream business operators to ensure compliance with those restrictions:

The products to which this declaration applies comply with the Global Migration Limits (GML) according to Regulation 10/2011 under the following test conditions and are consistent with the test results.

Simulating fluid	Contact conditions	Migration criterion (mg/dm ²)
Distilled water	10 days w 40°C	≤ 10
3% acetic acid	10 days w 40°C	≤ 10
isopropyl alcohol	10 days w 40°C	≤ 10
methyl alcohol	10 days w 40°C	≤ 10

Based on the declarations of raw material producers, we would like to inform you that the production uses substances with permissible specific migration limits SLM in accordance with Annexes I and II of Regulation (EU) No. 10/2011: no metals and primary aromatic amines listed in Annex II of the regulation (EU) No. 10/2011

FCM number	Ref. number	CAS number	SML mg/kg	Name	Substance double usage
193	24610	100-42-5	≤ 60	styrene	No
106	24550/ 89040	557-05-1	≤ 25	zinc stearate	No
98	17260/54880	50-00-0	≤15	formaldehyde	No
80	81760	-----	≤100	powders, flakes and fibres of brass, bronze, copper, stainless steel, tin, iron and alloys of copper, tin and iron	No
184	20110	0000097-88-1	≤6	methacrylic acid	No
153	21130	80-62-6	≤6	methyl methacrylate (MMA)	No

Adequate information relative to the substances which are subject to a restriction in food, obtained by experimental data or theoretical calculation about the level of their specific migration and, where appropriate, purity criteria in accordance with Directives 2008/60/EC, 95/45/EC and 2008/84/EC to enable the user of these materials or articles to comply with the relevant EU provisions or, in their absence, with national provisions applicable to food; The test results showed that the migration of methyl methacrylate (MMA) does not exceed 6 mg/kg in accordance with Regulation (EU) No 10/2011. The tests were conducted by an independent accredited laboratory Underwriters Laboratories (UL Environment) on October 25, 2018, as confirmed by declaration No. 4788478473.101.1.

The products meet the requirements of Directive 94/62 on packaging and packaging waste and the content of heavy metals and the subsequent amending directive, and the sum of the concentrations of lead (Pb), cadmium (Cd), mercury (Hg) and hexavalent chromium (Cr VI) does not exceed 100 mg / kg.

No primary aromatic amines listed in Annex II Regulation (EU) No 10/2011.

Specifications on the use of the material or article, such as:

- type or types of food with which it is intended to be put in contact: the artificial acrylic stone does not have background radiation; it is environmentally friendly and does not pose a danger to nature. Acrylic stone consists of 70% mineral filler, 30% acrylic resins and 1% pigments. Artificial stone is recommended for decorating medical and educational institutions, residential premises and restaurants.
- time and temperature of treatment and storage in contact with the food: the products are intended for long-term storage at room temperature or lower, including heating to 75 °C
- ratio of food contact surface area to volume used to establish the compliance of the material or article: Contact area/volume of simulant: 6 dm²: 1 kg of food
- The material has a maximum use temperature of 100°C (212°F), which meets NSF/ANSI 51 requirements for food contact materials.

Multilayer material is not used.

Compliance with regulation is ensured by internal production control and periodic testing. The declaration was issued on the basis of test results and declarations from producers of raw materials and materials used to produce the products. The TriStone™ material used for Rezatto planks is NSF certified for food contact, GREENGUARD for low chemical release and ISO 14001 for environmental management system. Copies of the certifications are available upon request.



Pursuant to Article 15 point. 3 of Commission Regulation (EC) No. 10/2011 "The declaration shall be renewed if there are significant changes in the composition or manufacturing process resulting in changes in the level of migration from materials or articles or if new data becomes available "scientific."

The company LLC "REZATTO" as an entity operating on the market, as an entity selling products for contact with food and having issued the declaration, undertakes to immediately issue a new version of this declaration as soon as such scientific facts arise.

Other relevant Directives must be observed.

Signed for and on behalf of the
Manufacturer's representative:

LLC "REZATTO", Ukraine, 61124, Kharkiv region,
Kharkiv city, st. Kashtanova, 10

Oleksandr Miroshnichenko

«05» January 2025

Signed for and on behalf of the
Authorized representative by:

LLC "REZATTO", Lizuma street 1 k-12,
Riga, LV-1006, Latvia

Karyna Omelianenko

«05» January 2025

Annex A

No: 1606 Dated «05» January 2025


No

Name


- 1 Cutting boards set Rezatto Blanco RZT-01
(board size L - 36x25cm; board size S - 31x20 cm; double stand - 28x10 cm)
- 2 Cutting boards set Rezatto Marmo RZT-02
(board size L - 36x25cm; board size S - 31x20 cm; double stand - 28x10 cm)
- 3 Cutting boards set Rezatto Crema RZT-03
(board size L - 36x25cm; board size S - 31x20 cm; double stand - 28x10 cm)
- 4 Cutting boards set Rezatto Grigio RZT-04
(board size L - 36x25cm; board size S - 31x20 cm; double stand - 28x10 cm)
- 5 Cutting boards set Rezatto Granito RZT-06
(board size L - 36x25cm; board size S - 31x20 cm; double stand - 28x10 cm)
- 6 Cutting boards set Rezatto Diamante RZT-08
(board size L - 36x25cm; board size S - 31x20 cm; double stand - 28x10 cm)
- 7 Cutting boards set Rezatto Nero RZT-09
(board size L - 36x25cm; board size S - 31x20 cm; double stand - 28x10 cm)
- 8 Cutting boards set Rezatto Quarzo RZT-11
(board size L - 36x25cm; board size S - 31x20 cm; double stand - 28x10 cm)
- 9 Cutting boards set Rezatto Perla RZT-12
(board size L - 36x25cm; board size S - 31x20 cm; double stand - 28x10 cm)
- 10 Cutting boards set Rezatto Bella RZT-13
(board size L - 36x25cm; board size S - 31x20 cm; double stand - 28x10 cm)
- 11 Cutting boards set Rezatto Mare RZT-14
(board size L - 36x25cm; board size S - 31x20 cm; double stand - 28x10 cm)
- 12 Cutting board Rezatto Blanco L 36x25 cm RZT-101
- 13 Cutting board Rezatto Marmo L 36x25 cm RZT-201
- 14 Cutting board Rezatto Crema L 36x25 cm RZT-301
- 15 Cutting board Rezatto Grigio L 36x25 cm RZT-401
- 16 Cutting board Rezatto Granito L 36x25 cm RZT-601
- 17 Cutting board Rezatto Diamante L 36x25 cm RZT-801
- 18 Cutting board Rezatto Nero L 36x25 cm RZT-901
- 19 Cutting board Rezatto Quarzo L 36x25 cm RZT-111
- 20 Cutting board Rezatto Perla L 36x25 cm RZT-121
- 21 Cutting board Rezatto Bella L 36x25 cm RZT-131
- 22 Cutting board Rezatto Mare L 36x25 cm RZT-141
- 23 Cutting board Rezatto Blanco S 31x20 cm RZT-102
- 24 Cutting board Rezatto Marmo S 31x20 cm RZT-202
- 25 Cutting board Rezatto Crema S 31x20 cm RZT-302
- 26 Cutting board Rezatto Grigio S 31x20 cm RZT-402
- 27 Cutting board Rezatto Granito S 31x20 cm RZT-602
- 28 Cutting board Rezatto Diamante S 31x20 cm RZT-802
- 29 Cutting board Rezatto Nero S 31x20 cm RZT-902
- 30 Cutting board Rezatto Quarzo S 31x20 cm RZT-112
- 31 Cutting board Rezatto Perla S 31x20 cm RZT-122
- 32 Cutting board Rezatto Bella S 31x20 cm RZT-132
- 33 Cutting board Rezatto Mare S 31x20 cm RZT-142
- 34 Cutting board Rezatto Blanco XS 30x16 cm RZT-105
- 35 Cutting board Rezatto Marmo XS 30x16 cm RZT-205
- 36 Cutting board Rezatto Crema XS 30x16 cm RZT-305
- 37 Cutting board Rezatto Grigio XS 30x16 cm RZT-405
- 38 Cutting board Rezatto Granito XS 30x16 cm RZT-605

- 39 Cutting board Rezatto Diamante XS 30x16 cm RZT-805
- 40 Cutting board Rezatto Nero XS 30x16 cm RZT-905
- 41 Cutting board Rezatto Quarzo XS 30x16 cm RZT-115
- 42 Cutting board Rezatto Perla XS 30x16 cm RZT-125
- 43 Cutting board Rezatto Bella XS 30x16 cm RZT-135
- 44 Cutting board Rezatto Mare XS 30x16 cm RZT-145
- 45 Double stand Rezatto Blanco 28x10 cm RZT-104
- 46 Double stand Rezatto Marmo 28x10 cm RZT-204
- 47 Double stand Rezatto Crema 28x10 cm RZT-304
- 48 Double stand Rezatto Grigio 28x10 cm RZT-404
- 49 Double stand Rezatto Granito 28x10 cm RZT-604
- 50 Double stand Rezatto Diamante 28x10 cm RZT-804
- 51 Double stand Rezatto Nero 28x10 cm RZT-904
- 52 Double stand Rezatto Quarzo 28x10 cm RZT-114
- 53 Double stand Rezatto Perla 28x10 cm RZT-124
- 54 Double stand Rezatto Bella 28x10 cm RZT-134
- 55 Double stand Rezatto Mare 28x10 cm RZT-144
- 56 Single stand Rezatto Blanco 28x7 cm RZT-103
- 57 Single stand Rezatto Marmo 28x7 cm RZT-203
- 58 Single stand Rezatto Crema 28x7 cm RZT-303
- 59 Single stand Rezatto Grigio 28x7 cm RZT-403
- 60 Single stand Rezatto Granito 28x7 cm RZT-603
- 61 Single stand Rezatto Diamante 28x7 cm RZT-803
- 62 Single stand Rezatto Nero 28x7 cm RZT-903
- 63 Single stand Rezatto Quarzo 28x7 cm RZT-113
- 64 Single stand Rezatto Perla 28x7 cm RZT-123
- 65 Single stand Rezatto Bella 28x7 cm RZT-133
- 66 Single stand Rezatto Mare 28x7 cm RZT-143

Signed for and on behalf of the
Manufacturer's representative:

LLC "REZATTO", Ukraine, 61124, Kharkiv region,
Kharkiv city, st. Kashtanova, 10, EDRPOU 45074271,
 Oleksandr Miroshnichenko

Signed for and on behalf of the
Authorized representative by:

LLC "REZATTO", Lizuma street 1 k-12, Riga, LV-
1006, Latvia
 Karyna Omelianenko